Declaration of Compliance

ECON butterfly valves series 67 and 68





Eriks Flow Control herewith declares that the above mentioned butterfly valves meet the requirements as defined in:

- European Regulation (EC) No. 1935/2004 (Food Contact Materials)
- European Regulation (EC) No. 2023/2006 (Good Manufacturing Practice)
- FDA 21 CFR 177.1550 (Perfluorcarbon resins)

Product: Nodular cast iron butterfly valve with stainless steel disc and EPDM-TFM1600 lined seat, series 67 & 68. The disc and seat are the only valve parts intended to come into contact with food.

Migration test results stainless steel disc (ASTM A351-CF8M)

Migration test protocol according to CM/Res(2013)9, Specific release of Metals

Method	Parameter	Analysis principle	Migration conditions for the 3 successive migration steps	Result
EPA 3052 mod	Preparation for migration (metals)	Exposure to 0,5% citric acid by article immersion ICP-MS	1 hour / 100°C	Pass

Report No.: 392-2019-00083702_rev2_MP_EN

Migration test results PTFE-lined seats - 3M Dyneon TFM 1600

Migration test protocol according to EU 10/2011 (EN1186), Overall Migration

Food simulant	Contact foods	Time / Temperature	Technique	OML-value (mg/dm ²)	Result
A - Ethanol 10%	Aqueous food	4 hours / 90° C	Immersion	< 10	Pass
B - Acetic acid 3%	Acidic food	4 hours / 100° C	Immersion	< 10	Pass
D2 - Olive oil	Fatty food	4 hours / 100° C	Immersion	< 10	Pass

Report No.: 392-2019-00083701_rev1_MP_EN

Migration test protocol according to EU 10/2011 (EN1186), Specific Migration

Parameter		SML-value (mg/kg)	Result	
Tetrafluoroethylene (TFE)	Worst case calculation of migration	< 0,05	Pass	

Report No.: 392-2019-00083701_rev1_MP_EN



Cypresbaan 63, 2908 LT Capelle aan den IJssel, The Netherlands

Extraction test method according to CFR 21§177.1550, overall extraction

Test	Requirements (mg/inch²)	Result
Extraction in Heptane 2 hours	Max. 0,03	Pass
Extraction in Water 2 hours	Max. 0,03	Pass
Extraction in 50% Ethanol 2 hours	Max. 0,03	Pass
Extraction in ETAC 2 hour supplementary	Max. 0,03	Pass

Report No.: 392-2019-00083701_rev1_FP_EN

