

Corrosion Resistant Products

KML's Corrosion Resistant Mounted Bearing Unit Part Numbering System is a series of formats that in combination identify a specific part number. These formats identify the corrosion resistant mounted bearing units type, series, housing style, shaft size and additional part-specific information.

Corrosion Resistant Housings

- SSP: Stainless Steel Pillow Block
- SPP: Pressed Stainless Steel Pillow Block
- TPP: Thermoplastic Pillow Block
- SSPA: Stainless Steel Tap Base Pillow Block - Inch
- TPTB: Thermoplastic Tap Base Pillow Block - Inch
- SSFL: Stainless Steel 2-Bolt Diamond Flange
- SPFL: Pressed Stainless Steel 2-Bolt Flange Set
- TPFL: Thermoplastic 2-Bolt Diamond Flange
- SSFB: Stainless Steel 3-Bolt Offset Flange - Inch
- TPFB: Thermoplastic 3-Bolt Offset Flange - Inch
- SSF: Stainless Steel 4-Bolt Square Flange
- TPF: Thermoplastic 4-Bolt Square Flange
- SST: Stainless Steel Take-up - Wide Slot
- TPT: Thermoplastic Take-up - Wide Slot

Prefix Markings

- SS: Stainless Steel

Shaft Size Dimensions

- Inch Dimensions: In 16ths of an inch (Example: SSUC205-16 = 1")
- Metric Dimensions: Blank (Example: SSUC204 = 20mm)

SS

UC

P

205

16

NF

Insert Bearings

- SSUC: Stainless Steel Wide Inner Ring, Dual Set Screw
- SSSB: Stainless Steel Narrow Inner Ring, Dual Set Screw

Series Designation

- Light/Normal Duty 201-211

Suffix:

- Indicates additional features applicable to the bearing insert or bearing unit

NF: No grease fitting