

# Deep Groove Ball Bearing Puller Kit TMMD 100

## Easy dismounting of bearings in blind housings

The SKF TMMD 100 is especially designed to allow easy and quick dismounting of deep groove ball bearings with interference fit on both rings. The puller is suitable for use in both blind housings and shaft applications. The puller kit contains six sets of different size puller arms, two spindles and one handle packed in a carrying case.


The TMMD 100 is suitable for dismounting up to 71 different SKF Deep Groove Ball Bearings from shaft diameter ranging between 10 and 100 mm (0,4 – 3,9 in).



- The claws are especially designed to facilitate a precise fit in the bearing's raceways, providing exceptional grip and allowing the application of higher dismounting forces
- Each puller arm is fitted with a spring for easy installation
- The puller arms are made of a single piece, laser-cut hardened-steel for strength and longevity
- The hexagon head of the spindle is equipped with an anti-slip pin, which prevents the spanner from sliding down the spindle during dismounting
- The rotation angle of the claw has been limited to allow easy insertion
- The designation is laser-engraved on the arms allowing easy identification and selection
- In addition to dismounting open bearings, the TMMD 100 can be used to dismount sealed bearings after the removal of the seal



**A** Bearing selection chart included



**B** The rubber cap allows easy and quick attachment of the arms to the spindle. It also prevents the puller arms from detaching from the spindle during operation



**C** The springs are colour-coded for easy arm selection and matching



Dismounting



## Selection table

DGBB bearing series	Spindle TMMD 100-S1			Spindle TMMD 100-S2							
	TMMD 100 A1	TMMD 100 A2	TMMD 100 A3	TMMD 100 A4	TMMD 100 A5		TMMD 100 A6				
60..	6000	6004	6007	6011	6014	6016	6018				
	6001	6005	6008	6012	6015	6017	6019				
	6002	6006	6009	6013			6020				
62..	6200	6201	6204	6206	6207	6209	6210	6212	6214	6218	
		6202	6205		6208		6211	6213	6215		
		6203							6216		
63..		6300	6301	6303	6305	6306	6307	6308	6309	6311	6313
			6302	6304					6310	6312	
62/.			62/22	62/28							
63/.					63/22	63/28					
64..						6403	6404	6406	6407	6408	6410
							6405			6409	
160..	16002		16011								
161..	16003										
	16100										
	16101										

© SKF is a registered trademark of the SKF Group  
 © SKF Group 2009

The contents of this publication are the copyright of the publisher and may not be reproduced (even extracts) unless prior written permission is granted. Every care has been taken to ensure the accuracy of the information contained in this publication but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

MP/PDS TMMD100 EN • October 2009

[www.mapro.skf.com](http://www.mapro.skf.com) • [skf.com/mount](http://skf.com/mount) • [skf.com/lubrication](http://skf.com/lubrication)

